AMS Trex LIMITED TIME OFFER

Valid through FY25 (Ends September 30, 2025)




Available in HART[®] and FOUNDATION[™] Fieldbus models









LIMITED TIME OFFER

40% Trade-In Offer Details

Applicable to the following models:

Model Number*	Description
TREXCHPKLWP3S-TU	Trex, HART, IS, Wireless, Prem Support 3 Years, Carrying Case
TREXLHPKLWP3S-TU	Trex w/Power the Loop , HART , IS, Wireless, Prem Support 3 Years, Carrying Case
TREXLFPKLWP3S-TU	Trex w/Power the Loop, HART+FF, IS, Wireless, Prem Support 3 Years, Carrying Case

*The model number and serial number of the trade in unit must be provided on the purchase order.

Take Advantage of the Most Comprehensive, Rugged, Do-it-all Field Communicator on the Market.

COMMUNICATE TO AN EVER-GROWING LIST OF THOUSANDS OF INSTRUMENTS AND DEVICES

2,500 Devices Supported: Auto-updated latest Device Descriptors (DD files) to be compatible with the latest devices (**see here for full device list**)

Still an Emerson 475 user? Upgrading to Emerson's AMS Trex will unlock access to 504 additional devices (see list here)

FEATURES AND BENEFITS:

Rugged, Reliable, and Intrinsically Safe

Designed to withstand the harsh conditions in manufacturing facilities and meets global Intrinsic Safety requirements.

Designed for Use

Designed for comfortable, one-handed, all-day use in the field. The screen also operates while wearing gloves.

Power the Loop

Allows device configuration in the field before power and I/O infrastructure are in place. Simply connect to an instrument to power it.

Adjustable Display, Superior UI

Easily change display to save power or adapt to dark environments or bright sunlight, ensuring a crisp display that can be read. Large touch screen for better viewing and easier navigation; intuitive instrument dashboard and graphics.

Auto Sync

Maintain data integrity in your AMS Device Manager database without any technician intervention.

APP LIBRARY, FEATURING:

Field Communicator

Delivers a wide range of options for configuring and troubleshooting HART and FOUNDATION Fieldbus devices.

Loop Diagnostics

Power the loop in the field and perform loop troubleshooting and checkouts. Also, isolate and troubleshoot wiring issues.

Fieldbus Diagnostics

Get the necessary toolset for troubleshooting and validating FOUNDATION Fieldbus segments.

WirelessHART Provisioning

Provision wireless networks in less time, with less chance of error and in a more secure fashion.

Radar Master

Ensure the measurement and configuration accuracy of your Rosemount radar level transmitters.

ValveLink Mobile

Analyze and review valve assembly condition and performance without affecting the process.

Calculator

Includes a calculator, conversion for base conversions, loop convertor/Ohm's law calculator, and unit converter.

PDF Viewer

Transfer PDF files to AMS Trex to easily access manuals, work processes, notes, and any other PDFs in the field.



AMS



Trade in your existing handheld and receive a **20% discount** on the purchase of a AMS TREX Device Communicator

Available in HART and FOUNDATION Fieldbus models.

12:56

Rosemount 3051

Overview

Advisory

Investiga

Pressure

0.045 Pressure

E

Menu

* Exit

Device

2

Alerts

Change

Analog Output

4.017 Alarm Level (mA)

> K Service Tools

> > SON

Overview

ő

Configure



www.emerson.com/trex

HOW IT WORKS

The part numbers for this promotion are listed below. Note the separate part numbers for HART[®] and FOUNDATION[™] Fieldbus models. These part numbers can only be used when trading in existing Emerson or non-Emerson communicators.

PART NUMBERS	TREXLHPKLWS3-TU	TREXLFPKLWS3-TU	TREXLHPKLWP3-TU	TREXLFPKLWP3-TU	TREXLHPKL953-TU	TREXLFPKL9S3-TU	ТКЕХԼНРКІ.9РЗ-ТU	TREXLFPKL9P3-TU
TREX	~	~	~	~	~	~	~	~
Device Communicator Plus	~	~	~	~	~	~	~	~
HART Protocol	~	~	~	~	~	~	~	~
FOUNDATION Fieldbus		~		~		~		~
Li-Ion Power Module	~	~	~	~	~	~	~	~
Intrinsic Safety Approvals	~	~	~	~	~	~	~	~
Wireless	✓	~	~	~				
Standard Support (3 Years)	✓	~			~	~		
Premium Support (3 Years)			~	~			✓	~

Additional information about the AMS Trex Device Communicator is available at www.emerson.com/trex

©2016, Emerson Process Management. All rights reserved.

The Emerson logo is a trademark and service mark of Emerson Electric Co. All other marks are the property of their respective owners.

The contents of this publication are presented for informational purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the designs or specifications of our products at any time without notice.



Emerson Reliability Solutions 12001 Technology Drive Eden Prairie, MN 55344 USA ♥ +1 952 828 3633 ♥ +1 952 828 3006

www.emerson.com/trex